EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	138	predicat$3 near15 (target$2 or destinat$3) near5 register$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:01
L2	54	(dispatch$4 or issu$3 or fetch$3 or pre near1 fetch$3) near10 queu$ near15 branch$3 near15 taken	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:02
L3	3637	renam$3 near5 register$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:02
L4	243	(dispatch$4 or issu$3 or fetch$3 or pre near1 fetch$3) near15 (buffer$1 or fifo or queu$) near15 branch$3 near15 taken	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:03
L5	1	l1 and l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:07
L6	2	l1 and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:07
L7	1144	predicat$3 near15 register$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:07

L8	43	l3 and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L9	1	l7 and l2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L10	138	l7 and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L11	1	l10 and l4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:08
L12	4288	712/216-219,220,228,236,240. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L13	26	l1 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L14	9	l2 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L15	1023	l3 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L16	49	l10 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09

L17	49	l4 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L18	9	l4 and l7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:09
L19	137	l7 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:10
L20	49	l19 and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:10
L21	19	predicat$3 near12 (instruction$1 or register$1) near25 (width or size of length) near8 (region or sequenc$3 or loop or block or pair$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:12
L22	3627	predicat$3 near12 (region or sequenc$3 or loop or block or pair$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:12
L23	30674	(resolv$3 or resolution) near12 condition$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:13
L24	91	l22 and l23	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:13
L25	11	l24 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:13

L26	319	(resolv$3 or resolution) near12 condition$1 near15 (outside or external$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:14
L27	0	l26 and l22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:14
L28	81	l22 and l3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:14
L29	23	l28 and l12	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:15
L30	0	(predicat$3 near5 (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and (beginning or start$3) and (destination or target) near1 register$1 and (resolv$3 or resolution) near4 condition$1 and (exteranl$3 or outside) near7 predict$3 near4 instruction$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:18
L31	0	(predicat$3 near5 (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and (beginning or start$3) and (destination or target) near1 register$1 and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near7 predict$3 near4 instruction$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:18
L32	0	(predicat$3 near5 (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and (identif$5) and (destination or target) near1 register$1 and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near7 predict$3 near4 instruction$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:19

L33	0	(predicat$3 near5 (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and (identif$5) and (destination or target) near5 register$1 and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near7 predict$3 near4 instruction$1).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:19
L34	0	(predicat$3 near5 (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and register near3 writ $4 and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near7 predict$3 near4 instruction$1). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:20
L35	0	(predicat$3 near5 (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and register near3 writ $4 and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near15 predict$3 near4 instruction$1). clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:20
L36	0	(predicat$3 near5 (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and register near3 writ $4 and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near15 predict$3 near4 instruction$1). clm.	US-PGPUB	OR	ON	2010/09/27 10:21
L37	0	(predicat$3 and (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and register near3 writ $4 and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near15 predict$3 near4 instruction$1). clm.	US-PGPUB	OR	ON	2010/09/27 10:21
L38	0	(predicat$3 and (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) near15 predict$3 near4 instruction$1).clm.	US-PGPUB	OR	ON	2010/09/27 10:21

L39	0	(predicat$3 and (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and (resolv$3 or resolution) near4 condition$1 and (external$3 or outside) and predict$3 near4 instruction $1).clm.	US-PGPUB	OR	ON	2010/09/27 10:21
L40	0	(predicat$3 and (region or loop or pair$1 or area$1 or sequenc$3 or block$1 or range) and (resolv$3 or resolution) and (external$3 or outside) and predict$3 near4 instruction$1).clm.	US-PGPUB	OR	ON	2010/09/27 10:22
L41	0	"5574931".pn. or "5999976". pn.	US-PGPUB	OR	ON	2010/09/27 10:34
L42	4	"5574931".pn. or "5999976". pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:34
L43	103	(arbitrat$3 or mux or multiplex $3) near15 call$1 near15 priorit $7	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:36
L44	35	(arbitrat$3 or mux or multiplex $3) near15 call$1 near15 priorit $7 and (start$3 or entr$4 or target or destination) near5 (position$1 or address$3 or location$1 or position)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:45
L45	33	(arbitrat$3 or mux or multiplex $3) near15 call$1 near15 priorit $7 and (start$3 or entr$4 or target or destination) near5 (position$1 or address$3 or location$1 or position) and (parallel$4 or concurrent$3 or simultaneous$2 or pipelin$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:46
L46	26	(arbitrat$3 or mux or multiplex $3) near15 call$1 near15 priorit $7 and (start$3 or entr$4 or target or destination) near5 (position$1 or address$3 or location$1 or position) and (parallel$4 or concurrent$3 or simultaneous$2 or pipelin$5) near12 (request$3 or call$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:46

L47	41	(arbitrat$3 or mux or multiplex $3) near15 (branch$3 or call$1 or jump$1) near15 priorit$7 and (start$3 or entr$4 or target or destination) near5 (position$1 or address$3 or location$1 or position) and (parallel$4 or concurrent$3 or simultaneous$2 or pipelin$5) near12 (request$3 or call$3)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:49
L48	15	l47 not l46	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:54
L49	12	l48 and return	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 10:58
L50	471	(arbitrat$3 or mux or multiplex $3 or select$5) near15 (branch $3 or call$1 or jump$1) near15 priorit$7 and (start$3 or entr $4 or target or destination) near5 (position$1 or address$3 or location$1 or position) and return	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:06
L51	37	(arbitrat$3 or mux or multiplex $3 or select$5) near15 (branch $3 or call$1 or jump$1) near15 priorit$7 and (start$3 or entr $4 or target or destination) near5 (position$1 or address$3 or location$1 or position) and return and priorit$7 near15 (weight$1 or index$3 or indices or level$1 or rank$3) near15 (compar$3 or comparison or match$3 or "same")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:14
L52	46	(arbitrat$3 or mux or multiplex $3 or select$5) near15 (loop$1 or subroutine$1 or subprogram $1 or branch$3 or call$1 or jump$1) near15 priorit$7 and (start$3 or entr$4 or target or destination) near5 (position$1 or address$3 or location$1 or position) and return and priorit $7 near15 (weight$1 or index $3 or indices or level$1 or rank $3) near15 (compar$3 or comparison or match$3 or	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:27

		"same")				
L53	9	l52 not l51	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:30
L54	5655	717/131-133,141-161.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:32
L55	4952	712/28,20,233-248.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:33
L56	602	(arbitrat$3 or mux or multiplex$3 or select$5) near15 (loop$1 or subroutine$1 or subprogram$1 or branch$3 or call$1 or jump$1) near15 priorit$7 and (start$3 or entr$4 or target or destination) near5 (position$1 or address$3 or location$1 or position) and return	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:34
L57	5	l56 and l54	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:34
L58	42	l56 and l55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/27 11:35

9/27/10 11:41:03 AM
C:\ Documents and Settings\ DPan\ My Documents\ EAST\ Workspaces\ 050073.wsp